



**Association of Plastic Recyclers**  
1776 K Street, NW  
Washington DC 20006

[www.plasticsrecycling.org](http://www.plasticsrecycling.org)

August 15, 2022

Hariharan. K  
President – C&I  
EPL Limited. (Formerly known as Essel Propack Limited)  
Top floor, Times Tower, Lower Parel, Mumbai – 400013  
Dear Mr. Hariharan:

APR, the Association of Plastic Recyclers, is pleased to recognize EPL's "Platina Pro Vision" transparent laminated tube with sleeve thickness ranging from 250 microns to 350 microns, decorated with UV flexo inks / varnish with < 5% or less EVOH barrier layer and HDPE shoulder as meeting or exceeding the most strict APR HDPE Critical Guidance criteria and the APR HDPE Bottle-to-Bottle protocol. This APR recognition is based on the technical recyclability of the packaging tube innovation with HDPE bottles.

A Review Committee, appointed per the APR Recognition Operating Procedures, reviewed your data submission and concluded the data were correctly obtained by a qualified laboratory and were completely presented to show the tubes submitted meet or exceed the most challenging test conditions and strictest APR Critical Guidance criteria. APR thanks EPL for additional applications testing to further demonstrate the compatibility of the printed extruded HDPE tube with low melt flow HDPE flip-top cap with HDPE bottle recycling processing.

The HDPE Critical Guidance and Bottle-to-Bottle documents that were used to evaluate the printed extruded HDPE tube with low melt flow HDPE flip-top cap, are the product of a multi-industry consensus process to identify and address certain key technical considerations related to the recycling of postconsumer HDPE bottles. The Documents direct innovators to conduct specific testing per established testing procedures and then provide the innovator with guidance to interpret the results. The protocols are intended to help improve the quality of the recycled bottle stream by aiding innovators to make informed decisions about the consequences of packaging innovations. APR thanks EPL, for voluntarily submitting this packaging tube for Recognition. The impact of these protocols is beneficial to world-wide recycling efforts. Meeting the Critical Guidance Document and Bottle-to-Bottle guidelines are truly significant steps in demonstrating overall recyclability of your tube and decoration.

Our recognition applies only to the "Platina Pro Vision" transparent laminated tube with sleeve thickness ranging from 250 microns to 350 microns, decorated with UV flexo inks / varnish with < 5% or less EVOH barrier layer and HDPE shoulder. While this Recognition speaks to the compatibility of your tubes with HDPE bottle recycling, it does not speak to collection of used tubes or include other tubes in the market that may conflict with the HDPE bottle recycling process. We encourage EPL to be sure in its packaging information that the public does not misunderstand that this Recognition applies to look-alike tubes or to believe collection is happening when it is not.

Yours truly,

President and CEO

The Voice of Plastics Recycling™

